elipson | Connect 2130 Xi

CONNECTED COMPACT AMPLIFIER



A technological gem designed for both individuals and professionals in the hi-fi industry.


The Elipson **Connect 2130 Xi** integrated amplifier is equipped with advanced class D technology with integrated PFC, it offers a power output of 2×130 W.

Its built-in streamer, with Bluetooth 5.1, WiFi, and LAN connectivity, as well as Airplay2, Chromecast, UpNp, and DLNA functionality, allows you to stream your favorite music in high quality and wirelessly.

The Line-in and RCA inputs offer great flexibility for connecting different types of audio sources, while the sub output provides an additional option for reinforcing bass frequencies.

With its compact and optimized dimensions, the Connect 2130 Xi integrated amplifier can be easily integrated into a standard rack cabinet thanks to its 100V mode, allowing for valuable space-saving.

Although compact, this amplifier integrates high-end features for exceptional audio performance.







elipson xi 1/3



SPECIFICATIONS

TECHNICAL























*** TIDAL

amazon music



FINISH

ACCESSORIES (OPTIONAL)

DIMENSIONS WEIGHT

PACKAGING

CODES PRODUIT

NICE TO KNOW

Type

Compact connected amplifier (low impedance mode - 100V)

Technology

Class D

Power

 $2 \times 130 \text{ W RMS} @ 4 \& 8 \Omega$

Power bridge mode into 8 Ω

250 W RMS / 500 W peak

Harmonic distortion (THD) @ 1 W < 0.003 %

Frequency response

20 Hz - 50 kHz

Signal-Noise ratio

119 dBA

Damping factor

350

Inputs

- Unbalanced RCA
- HDMI ARC
- Bluetooth 5.1

Preamplifier output

• Subwoofer (200 Hz @ 12dB / Oct)

LAN network

- Wi-Fi 2.4 GHz / 5 GHz 802.11 b/g/n/ac
- Ethernet RJ-45

Bitrate / DAC Chip

Hi-Res: 24 Bit - 192 kHz / ESS SABRE ES9023

Streamer

- AirPlay 2
- Chromecast built-in™
- UPnP
- DLNA

Applications

 WiiM APP (supports Android/iOS system)

• Spotify, Deezer, Qobuz, Amazon Music, Audirvana, Tidal, Tunein etc.

Output configuration

Stereo / Bridge mono / 100V

Trigger

IN & OUT (5 - 12V)

Clipping and protection

Max temperature

40° C (fan automatic trigger)

Gun grey anodizing

Satin black top cover

Rack 1U

SKU: ELICON2130XIRAC EAN: 3700795194348 (informations p.3)



Dimensions

W215 x D220 x H44,5 mm (1U)

(montable per pair)

Net weight 1,4 kg

Packaging dimensions

W297 x H100 x D297 mm

Gross weight

2 kg

SKU FAN

3700795193594 ELICON2130XI



Designed, engineered and made

in France











1U rack front panel for the amplifier Connect 2130 Xi

Optimize the installation of your Connect 2130 Xi amplifiers with this optional 1U rack front panel. Specifically designed for the rack cabinets*, it allows you to mount up to two Connect 2130 Xi units side by side, ensuring a clean and professional integration into your audio setups. Perfect for technical environments or complex installations, this front panel provides a stable and visually appealing solution.

*in option

DIMENSIONS WEIGHT	Dimensions W482 x H45 x D6 mm	Net weight 0,11 kg
PACKAGING	Dimensions TBC	Gross weight TBC
PRODUCT CODES	SKU ELICON2130XIRAC	EAN 3700795194348