

elipson® | Prestige Facet II 6ATM

ENCEINTE ATMOS & SURROUND - 2 VOIES - CLOSE



Découvrez la Prestige Facet II 6ATM, l'enceinte Dolby Atmos idéale pour compléter votre installation home cinéma.

Spécialement conçu pour s'harmoniser avec vos colonnes Prestige Facet II 14F (mêmes dimensions), la 6ATM révolutionne votre expérience home cinéma.

Cette enceinte Dolby Atmos polyvalente s'installe aussi bien sur colonne qu'au mur, offrant une diffusion sonore 3D enveloppante grâce à sa conception 2 voies enceinte close et son réseau Dolby Atmos intégré.





TECHNIQUE

Type Enceinte Atmos & surround - 2 voies - Close	Filtre répartiteur- Fc 3900 Hz - 18 dB / 18dB + Dolby Network
Puissance 70 W RMS	Impédance nominale 6 Ω
Amplification recommandée 30 - 120 W	Impédance minimale 4,8 Ohms @ 7400 Hz
Haut-parleurs Tweeter pavillon : 25 mm Grave-médium : 140 mm	Fréquence d'accord bass-reflex Clos
Réponse en fréquence (± 3dB) 65 Hz - 25 kHz	Bornier Argentés pour bi-câblage ou bi-amplification
Sensibilité 90 dB / 1W / 1m	

DIMENSIONS
POIDS

Dimensions L207 x H181 x P290 mm	Poids 5,1 kg
--	------------------------

PACKAGING

Packaging dimensions L370 x H300x P370 mm	Poids brut 11,1 kg
---	------------------------------

FINITIONS
-
CODES
PRODUITS

	Finition Noir mat	SKU ELIPF26ATMMBK	EAN 3700795194614
	Finition Blanc mat	SKU ELIPF26ATMMWT	EAN 3700795194621
	Finitions Noir mat - Noyer	SKU ELIPF26ATMWNBK	EAN 3700795194638

elipson® | Prestige Facet II 6ATM

ATMOS & SURROUND LOUDSPEAKER - 2 WAY - SEALED



Discover the Prestige Facet II 6ATM, the ideal Dolby Atmos loudspeaker to complete your home theater installation.

Specially designed to match your Prestige Facet II 14F columns (same dimensions), the 6ATM revolutionizes your home cinema experience.

This versatile Dolby Atmos loudspeaker can be installed on a column or wall, offering enveloping 3D sound diffusion thanks to its 2-way closed cabinet design and integrated Dolby Atmos network.





TECHNICAL

Type Atmos & surround loudspeaker - 2 way - Sealed	Crossover 3900 Hz - 18 dB / 18dB + Dolby Network
Power 70 W RMS	Nominal impedance 6 Ω
Power amplifier 30 - 120 W	Minimum Impedance 4,8 Ohms @ 7400 Hz
Drive-Units Horn tweeter : 1" Mid-woofer : 5"	Tuned bass-reflex frequency Sealed
Frequency response (±3dB) 65 Hz - 25 kHz	Terminals Silver plated for bi-wiring or bi-amplification
Sensitivity 90 dB / 1W / 1m	

DIMENSIONS
WEIGHTS

Dimensions W207 x H181 x D290 mm	Weight 5,1 kg
--	-------------------------

PACKAGING

Packaging dimensions W370 x H300 x D370 mm	Gross weight 11,1 kg
--	--------------------------------

FINISHES
-
PRODUCTS
CODES

	Finish Black matt	SKU ELIPF26ATMMBK	EAN 3700795194614
	Finish White matt	SKU ELIPF26ATMMWT	EAN 3700795194621
	Finishes Black matt - Walnut	SKU ELIPF26ATMWNBK	EAN 3700795194638