
iiyama



INFORMATION



Stylish and discreet Professional 4K Webcam with Built in microphone, 5x Digital zoom, 120° field of view (FoV) and Auto Tracking

This stylish, professional 4K webcam with 5x Digital Zoom and built in microphone will take your video conferences to the new level. With a 120° field of view and 5x zoom, the UC-CAM10PRO-1 provides a sensational, smooth, and detailed picture. The webcam has two built-in microphones that detect sound from up to 4 meters away, so you can be sure everyone will be heard during the meetings. This compact-size camera with a privacy cover will be a perfect match for any space - whether it's a small huddle space or meeting room. With a 14° tilt adjustment feature, the camera can be customized to fit your needs and adapt to your individual space.



120° field of view

The field of view means the observable area one can see through the camera lens. It translates directly to how much of your meeting space will be visible to the participants joining remotely. A 120-degree FoV is the right solution for most standard meeting spaces.



2D & 3D Digital Noise Reduction

Delivering high image quality, these two image denoising technologies combined ensure crisp and clear visuals for video and photos.



Auto-framing

With intelligent face detection and voice localization, the camera tracks whoever is speaking and smoothly switches between presenters automatically adjusting to best fit participant location and quantity. It not only recognizes and zooms in on meeting participants, but also tracks speakers as they move about the room.



Clear, crisp and natural audio

Featuring an advanced noise reduction algorithm, the integrated 2-element mic array detects audio from up to 4 metres away, delivering high quality audio free from any annoying background noise or distortion.

SPECIFICATION

Camera

Pixels 8,46M

Native resolution 4K UHD

Supported 2160p/30fps, 1440p/30fps, 1080p/30fps

resolutions

Diagonal field of view 120°

(dFoV)

Focus mode fixed

Focus distance

Aperture 2.5

Zoom 5x digital zoom

White balance yes

Exposure yes

Backlight

compensation

AutoFraming yes

Audio

Number of 2 microphone arrays

Voice pickup distance 4m

Voice pickup angle 180°

Noise reduction

yes

Automatic gain yes

control

Connectivity

Camera USB Type-C

Host USB v.3.0

Microphone

Number of

microphone arrays

Voice pickup range 4m (radius)

Connectivity & Button operations

USB Type C x1

MECHANICAL

Tilt angle ≤14°

Rotation 360°

Privacy shutter yes

ACCESSORIES INCLUDED

Cables USB 2.0 (type A to C)

Anti peeping cover yes

Remote control yes (batteries included)

Power adapter yes

SUSTAINABILITY

Regulations CE, RoHS support, ErP, WEEE, REACH, UKCA

DIMENSIONS / WEIGHT

Product dimensions 80 x 75 x 53mm

WxHxD

Box dimensions W x 162 x 124 x 90mm

Weight (without box) 0.21kg

Weight (with box) 0.5kg

EAN code 4948570033140

















All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice. All LCD's comply with ISO-9241-307:2008 in connection with pixel defects. © IIYAMA CORPORATION. ALL RIGHTS RESERVED