



## STA-850D

Order No.: 0252360

### PRODUCTINFOS

#### 8-channel class D amplifier

- Silent operation due to fanless cooling concept
- 8 Ω bridged operation possible
- Mute function for each channel
- 8 level controls
- 1 LED per channel for indicating overload (clip)
- Protected against short circuit

#### Manufacturer information:

MONACOR INTERNATIONAL GmbH & Co. KG  
Zum Falsch 36  
28307 Bremen  
Germany  
info@monacor.com

#### Warning and Safety Instructions

The device is supplied with dangerous mains voltage. Leave servicing to skilled personnel only and do not insert anything into the air vents. Risk of electric shock!

Do not use this device and disconnect it immediately from the power supply if the device or the power supply cable is visibly damaged, if a defect might have occurred after the device was dropped or suffered a similar accident, if malfunctions occur. Any repairs must be carried out by specialists.

The product is suitable for indoor use only. Protect it against dripping water, splash water and high air humidity (admissible ambient temperature range is 0 - 40 °C).

Never pull the mains cable to disconnect the mains plug from the socket, always seize the plug.

The heat generated in the device must be dissipated by air circulation. Never cover the air vents of the housing.

If the device is to be put out of operation definitely, dispose of the product in accordance with local regulations.

## TECHNICAL SPECIFICATIONS

### STA-850D

Peak output power	600 W
Power rating	400 W
Power rating at 4 $\Omega$	8 x 50 W
Power rating at 8 $\Omega$	8 x 30 W
Power rating with 8 $\Omega$ bridged operation	4 x 100 W
Channels	8
Inputs	1 V/20 k $\Omega$ unbal. 550 mV/20 k $\Omega$ bal.
Frequency range	10-20,000 Hz
Crosstalk attenuation	> 45 dB
Power supply	~ 230 V/50 Hz/600 VA
Mains voltage	~ 230 V
Mains frequency	50 Hz
Power consumption, operation	600 VA
Admiss. ambient temp.	0-40 °C
Width	483 mm
Height	90 mm
Depth	330 mm
Rack units, RU	2
Weight	10.5 kg
Connections	8 x XLR, bal. 8 x RCA 8 x spring-load. speaker term. L/R
Packaging dimensions (W x H x L)	0.41 x 0.16 x 0.56 m
Gross weight	13.22 kg
Net weight	10.68 kg

### STA-850D

EAN code 4007754212808

**STA-850D**

Net weight

10.68 kg