



MASTER LINE SOURCE 3

SWISS HANDCRAFTED LOUDSPEAKERS SINCE 1986

PIEGA MASTER LINE SOURCE 3

The MLS 3 fits seamlessly into the noble series of master speakers. Like the MLS 2, the MLS 3 is a line source dipole loudspeaker. The MLS 3 was a challenging design and the result was the creation of several new technological innovations.

One of these innovations is the new compact design of the PIEGA LineSourceDriver (LSD) for the MLS 3 which embodies 30 years of know-how and experience in building highly complex and specialized ribbon drivers. Since the LSD is also a dipole, it is impressive in it's dynamic, speed and wide-ranging sonic performance. The result, a musically convincing and an extraordinary listening experience with all genres of music.

PERFECTED BASS

Meeting the performance demands of the LSD of the MLS 3 a new 18 cm UHQD bass driver was designed to compliment it's dynamics, speed and bandwidth.

The greatest challenge was optimizing this bass driver parameter, a small enclosure. This was met by designing the bass driver with the latest modern membrane materials, voice coil, chassis, and all moving parts in the suspension. This leads to a low bass response that is authoritative, precise, vivacious and harmonious integration with the Line-SourceDriver.

MUSICAL FINE-TUNING

One of the unique attributes of the MLS 3 is its ability to be placed in a living room like a normal loudspeaker, however, as a dipole its position within a room can be quickly adjusted to play music whether it's 30 cm or 2 meters from a rear wall.

Shaped by our years of audio experience and perfected by intensive fine tuning and listening by our dedicated staff, the MLS 3 is a culmination of tonal beauty and fine design aesthetics. It is a loudspeaker with an enormous presence and conveys a truly magical audio experience.



MODEL PIEGA MASTER LINE SOURCE 3 DESIGN PRINCIPLE DIPOLE 3-WAY SYSTEM WITH ACOUSTIC LENS RECOMMENDED AMPLIFIER POWER 20 – 500 Watt SENSITIVITY 92 dB IMPEDANCE 4 Ohm FREQUENCY IMPEDANCE 28 Hz – 50 kHz EQUIPMENT 4 x Line Source Drivers 111 2 x 18 cm UHQD basses 2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION Bi-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black. Special design variants upon request		
RECOMMENDED AMPLIFIER POWER SENSITIVITY 92 dB IMPEDANCE 4 Ohm FREQUENCY IMPEDANCE 28 Hz – 50 kHz EQUIPMENT 4 x Line Source Drivers 111 2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION Bi-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	MODEL	PIEGA MASTER LINE SOURCE 3
SENSITIVITY 92 dB IMPEDANCE 4 Ohm FREQUENCY IMPEDANCE 28 Hz - 50 kHz EQUIPMENT 4 x Line Source Drivers 111 2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION BI-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	DESIGN PRINCIPLE	DIPOLE 3-WAY SYSTEM WITH ACOUSTIC LENS
IMPEDANCE 4 Ohm FREQUENCY IMPEDANCE 28 Hz - 50 kHz EQUIPMENT 4 x Line Source Drivers 111 2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION Bi-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	RECOMMENDED AMPLIFIER POWER	20 - 500 Watt
FREQUENCY IMPEDANCE 28 Hz – 50 kHz EQUIPMENT 4 x Line Source Drivers 111 2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION Bi-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	SENSITIVITY	92 dB
EQUIPMENT 4 x Line Source Drivers 111 2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION Bi-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	IMPEDANCE	4 Ohm
2 x 18 cm UHQD basses 2 x 18 cm UHQD passive radiators CONNECTION Bi-Wiring/PIEGA multi-connectors DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	FREQUENCY IMPEDANCE	28 Hz – 50 kHz
DIMENSIONS H x W x D 165 x 23 x 33 cm WEIGHT 65 kg Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	EQUIPMENT	2 x 18 cm UHQD basses
WEIGHT 65 kg Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	CONNECTION	Bi-Wiring/PIEGA multi-connectors
DESIGN VARIANTS Baffle in silver anodised aluminium, cabinet painted silver, speaker cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	DIMENSIONS H x W x D	165 x 23 x 33 cm
cover silver. Baffle in black anodised aluminium, cabinet painted high-gloss black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	WEIGHT	65 kg
black, speaker cover black. Baffle in white, cabinet painted high-gloss white, speaker cover white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.	DESIGN VARIANTS	· · · · · · · · · · · · · · · · · · ·
white or black. Baffle in black anodised aluminium, cabinet in Zebrano matt veneer speaker cover black.		
speaker cover black.		
Special design variants upon request		•
		Special design variants upon request





PIEGA SA Bahnhofstrasse 29 CH – 8810 Horgen Telefon: +41 44 725 90 42 mail@piega.ch

INFORMATION EXPORT: Telefon: +41 44 725 90 02

GO FOLLOW US:

facebook.com/PiegaSwitzerland

@ @piegaswitzerland

www.piega.ch