

Versatile entry-level laser projector with 5,000-lumen WUXGA performance, ideal for replacing existing lamp-based projectors.

The EB-L510U is an entry-level laser projector and the ideal replacement for existing lamp-based models in meeting rooms and educational establishments. It offers outstanding 5,000-lumen brightness, Full HD WUXGA resolution, and a range of great features including HDBaseT, HDMI connectivity and lens shift.

Affordable laser performance

The EB-L510U offers impressive 5,000-lumen brightness and WUXGA Full HD resolution at an affordable price, meaning you can upgrade to laser performance and reliability without paying a premium. Pin-sharp image quality and equally high White and Colour Light Output give your presentations impact, even in brightly-lit rooms.

Useful connectivity features

This projector offers a range of handy connectivity features, including HDBaseT for straightforward wired connection over a single cable, plus HDMI.

Reliable and durable

The EB-L510U is based around Epson's proven laser technology, which offers fit and forget reliability to keep maintenance to a minimum. The projector is covered by a five-year, 12,000-hour warranty.

Easy, flexible installation

Lens shift and a smaller, lighter casing than products of similar brightness¹ makes it easy to replace existing units with the EB-L510U, while laser technology means these projectors can be mounted at and project from any angle, making them ideal for any scenario.

Stylish new design

A fresh, new casing design means that the EB-L510U will look completely at home in even the most style-conscious of new developments. It also comes with a matching rear cover to conceal leads and connectors, for a streamlined look.

KEY FEATURES

- 5,000-lumen brightness Crisp images and bright colours, even in well-lit rooms
- WUXGA resolution Sharp Full HD picture for excellent readability
- HDMI and HDBaseT The latest connectivity features for maximum ease of use
- Easy, flexible installation Lens shift and smaller, lighter casing make installation easy
- Fit and forget reliability Durable Epson technology supported by a five-year, 12,000-hour warranty



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

IMAGE		
Color Light Output	5.000 Lumen- 3.500 Lumen (economy) In accordance with ISO 21118:2013	
White Light Output	5.000 Lumen - 3.500 Lumen (economy) In accordance with ISO 21118:2013	
Resolution	WUXGA, 1920 x 1200, 16:10	
Contrast Ratio	2.500.000 : 1	
Light source	Laser 20.000 hours Durability High, 30.000 hours Durability Eco Manual vertical: ± 30 °, Manual horizontal ± 30 °	
Laser Light source		
Keystone Correction		
Colour Reproduction	Upto 1.07 billion colours	
OPTICAL		
Throw Ratio	1,35 - 2,20:1	
Lens Shift	Manual - Vertical ± 50 %, horizontal ± 20 %	
Zoom	Manual, Factor: 1 - 1,6	
Screen Size	50 inches - 500 inches	
Projection Distance Wide	1,4 m - 14,8 m	
Projection Distance Tele	2,4 m - 23,8 m	
CONNECTIVITY		
Interfaces	USB 2.0 Type A, USB 2.0 Type B, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), VGA	
	in (2x), VGA out, HDMI in (2x), HDBaseT, Stereo mini jack audio out, Stereo mini jack audio in	
	(2x), Wireless LAN IEEE 802.11b/g/n (optional)	
GENERAL		
Power consumption	322 Watt, 244 Watt (economy), 0,3 Watt (standby)	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	440 x 304 x 120 mm (Width x Depth x Height)	
Product weight	8,5 kg	
Noise Level	Normal: 37 dB (A) - Economy: 25 dB (A)	
Supported Temperature	Storage -10° C - 60° C	
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%	
	If the projector is suspended from a ceiling or wall mount and installed in an environment with	
	heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke	
	or bubbles are used for event staging, or where aroma oils are frequently burned, it can make	
	certain parts of our products susceptible to a material degradation which over time could	
	break and cause the projector to drop from the ceiling.	
	If you are concerned about the environment in which your projector is installed, or if you have	
	any other questions, please contact our support department and they can provide additional	
	assistance.	
TCO Certified	For further information relating to TCO Certified please visit	
	https://tcocertified.com/files/certification/Information-document-for-end-users.pdf	
TECHNOLOGY		
Projection System	3LCD Technology, RGB liquid crystal shutter	
LCD Panel	0,67 inch with D10	
OTHER		

EB-L510U

WHAT'S IN THE BOX

- Cable cover
- Computer cable
- Main unit
- Power cable
- Remote control incl. batteries
- User Manual (CD-ROM)
- Quick Start Guide



OPTIONAL ACCESSORIES

- Air Filter ELPAF56 L600/EB-14XX Series V13H134A56
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- HDBaseT Transmitter ELPHD01 V12H547040
- Wireless LAN Adapter ELPAP10 V12H731P01
- Safety Wire ELPWR01
 V12H003W01

LOGISTICS INFORMATION

sкu	V11H903040
EAN code	8715946661582
Country of Origin	China
Layer	2 Units





Epson Danmark Tlf.: 44 50 85 85 Teknisk hotline: 70 279 273 Salgshotline: 70 279 274 www.epson.dk

Epson Danmark Transformervej 6 2860 Søborg Danmark

Varemærker og registrerede varemærker tilhører Seiko Epson Corporation eller deres respektive ejere. Produktoplysninger kan ændres uden varsel. 1. As of November 2017.

